




QUICK-STEP[®]
FLOOR DESIGNERS



LAMINATE


COLLECTION 2018 - 2019



LPU 1505



LPU 1660



MJ 3551





Discover your laminate floor

- 04 Carefree living, timeless beauty
- 06 Resisting everything, even water!
- 08 Create your own living space
- 10 Let us guide you to the perfect floor

Collection overview

- 12 Range overview planks and tiles
- 14 Types of structure, treatment, finishing and bevel
- 16 Discover the full laminate collection

Installation

- 30 Install your floor without hassle
- 31 A Quick-Step® underlay for every situation

Finishing

- 32 Finish perfectly

Cleaning

- 37 Keep your floor in top condition



Carefree living, timeless beauty



EL 3579

Years of carefree living

Quick-Step laminate floors are designed to last a lifetime. They easily stand up to the challenges of high heels, races with toy trucks and even falling objects. Thanks to their Scratch Guard top layer, all of our floors are up to ten times more resistant to scratches.

A Quick-Step floor is very easy to maintain. Down to the joints, the floor's surface is completely sealed: bacteria, dirt and even spills are unable to penetrate the floor, which means easy and worry-free cleaning. Not sure what products to use to maintain your floor in the best possible way? Discover our entire range on page 37.



Say goodbye to moisture problems

The Majestic, Impressive (Ultra), Eligna and Classic collections have an innovative, water-repellent HydroSeal coating that covers every groove, preventing water from penetrating the floor. Cleaning has never been so easy and safe.

Natural beauty in every detail

From finding the perfect plank structure to carefully balancing colour and bevel: creating unique and attractive floors is our mission. Thanks to their true-to-life features, our wood and stone designs look exactly like the real deal.



MJ 3551



Easy installation in 1-2-3

When you've found your dream floor, you want it installed as quickly and easy as possible. The Quick-Step Uniclic® and Uniclic® Multifit click systems ensure a worry-free installation, even in tight corners and under radiators. On top of that, all Quick-Step laminate floors can be installed over traditional underfloor heating.



How to install your laminate floor

Installing a laminate floor is very easy. Don't believe it? Let us help you with our installation videos at bit.ly/ytquickstep



Resisting everything, even water!

Meet the latest generation of laminate floors. Floors that don't just look exceptionally stylish and natural, but can also take a knock or two and above all are 100% waterproof.



IMU 3560

Spilled a drink? Did the kids play with water? Don't panic, the liquid won't be absorbed by the floor and you can mop it up immediately. Five of our laminate collections – Majestic, Impressive (Ultra), Eigna and Classic – have a water-repellent HydroSeal coating. The floor's surface is completely sealed, so bacteria, dirt and even spillages don't stand a chance. They can simply be wiped off with a damp cloth, leaving a clean, hygienic surface. These waterproof floors make cleaning easier than ever!

On top of that, your new Quick-Step laminate floor also has a warranty of up to 25 years, guaranteeing many years of worry-free pleasure in your home.



IMU 1847



COMPETITOR



QUICK-STEP®



Discover our full collection of waterproof ranges on page 17-22



Create your own living space



More inspiration on
www.quick-step.co.uk

A beautiful interior starts with a good foundation. The floor could be considered as the fifth wall and therefore it should not be overlooked. Whatever your style, whatever your room, Quick-Step has the right floor: from light, clean floors to warm brown classics and even reclaimed floors with knots and cracks. We will help you to find your perfect floor!





UF 1400



EL 3907



LPU 1288



IMU 1854

Let us guide you to the perfect floor

Choosing a new floor can raise a lot of questions: which colour should I go for? Which floor matches my style and my interior? Check out our FloorExplorer and RoomViewer online – we will help you make up your mind.



LPU 1660

FLOOR EXPLORER

3 EASY STEPS TO FIND YOUR PERFECT FLOOR

With so many flooring options to choose from, making the right decision can be a challenge. That's why we have introduced the online FloorExplorer tool: in three simple steps, you will get a selection of floors that perfectly match your personal needs and style.




Why not give it a try?
Enter the FloorExplorer at
www.quick-step.co.uk

1 SELECT A ROOM



2 CHOOSE A COLOUR



3 DEFINE YOUR STYLE



ROOM VIEWER

GET A PREVIEW OF YOUR FAVOURITE FLOORS

Wouldn't it be great if you could try out several floors first before making a final decision? Or even preview them in your own interior? With the online RoomViewer tool, you can do just that. Get lifelike previews and make sure that your final decision is the right one.

































Try it out now!
Launch the RoomViewer at
www.quick-step.co.uk



DISCOVER YOUR PERFECT FLOOR ON WWW.QUICK-STEP.CO.UK

Range overview planks and tiles

	waterproof	dimensions	thickness	bevels
MAJESTIC		 205 x 24 cm	≐ 9,5 mm	
IMPRESSIVE ULTRA		 138 x 19 cm	≐ 12 mm	
PERSPECTIVE WIDE		 138 x 19 cm	≐ 9,5 mm	
PERSPECTIVE		 138 x 15,6 cm	≐ 9,5 mm	
LARGO		 205 x 20,5 cm	≐ 9,5 mm	
IMPRESSIVE		 138 x 19 cm	≐ 8 mm	
ELITE		 138 x 15,6 cm	≐ 8 mm	
ELIGNA WIDE		 138 x 19 cm	≐ 8 mm	
ELIGNA		 138 x 15,6 cm	≐ 8 mm	0
CLASSIC NEW		 120 x 19 cm	≐ 8 mm	
CREO		 120 x 19 cm	≐ 7 mm	0
ARTE		 62,4 x 62,4 cm	≐ 9,5 mm	
EXQUISA		 122,4 x 40,8 cm	≐ 8 mm	 / 










































For residential use.
Normal daily use in ordinary living spaces.



For commercial use. Extra wear-resistant floors for areas with higher usage.

* Perspective Wide 2: 1.569 m²
** Lay-out Exquisa: see page 29


pack	installation	performance level	warranty	wet warranty	
6 x  = 2,952 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	10 YEAR WET WARRANTY
5 x  = 1,311 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	10 YEAR WARRANTY <small>COMMERCIAL USE</small>	10 YEAR WET WARRANTY
6 x  = 1,573 m ² *			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	
7 x  = 1,507 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	
6 x  = 2,522 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	
7 x  = 1,835 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	10 YEAR WET WARRANTY
8 x  = 1,722 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	
7 x  = 1,835 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	
8 x  = 1,722 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	5 YEAR WET WARRANTY
7 x  = 1,596 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	5 YEAR WET WARRANTY
8 x  = 1,824 m ²			20 YEAR WARRANTY <small>DOMESTIC USE</small>		
4 x  = 1,558 m ²			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	
2 x  = 0,999 m ² **			25 YEAR WARRANTY <small>DOMESTIC USE</small>	5 YEAR WARRANTY <small>COMMERCIAL USE</small>	



ALL RANGES EXCEPT CREO

The details make the difference

Each laminate floor has its own story and a unique look and feel. The Quick-Step designers carefully select the structure, treatment, finishing and bevel, perfectly in line with the character of each floor design.



The icons indicate the specific design characteristics of every floor.

IMU 1850


Structure



CLM 1487

Elegant wood structure


A subtle surface texture with a fine grain structure that gives a wood effect with a very natural look and feel.



UFW 1540

Natural wood structure

A surface texture where the grain, knots and cracks that are visible in the design can also be felt in the surface structure of the laminate floor. This perfect combination of design and structure ensures that the floor looks and feels like real wood.



IMU 1848

Intense wood structure


This distinct structure has varying depths and gloss levels accentuating the knots and cracks. The design and surface structure is more pronounced than the natural wood structure.



EXQ 1551

Stone structure

A surface texture that realistically displays the structure of a stone pattern.



EXQ 1557

Fantasy structure


A surface texture that has the look and feel of exclusive materials such as leathers and fabrics.

Treatment




 **Brushed**

A surface effect that gives the appearance of brushed wood. The brushed treatment adds depth and authenticity to a laminate floor.



 **Saw cut**


This effect gives the impression of rough sawn wood thanks to the visible and tangible saw cuts.



 **Scraped**


A hand-scraped surface treatment gives a crafted, hand-worked finish to your floor.

Finishing



 **Extra matt finish**

An extra matt surface look.




 **Matt finish**

A matt surface look.



 **Silk/matt finish**

The varying gloss levels accentuate the structure of the floor.



 **Silk finish**

A silk surface look.



 **Silverfrost finish**

A surface effect that highlights the wood grains by running a subtle silvery tone through them.

Bevel




 **Large bevel**

Distinctive grooved edges offer the look of an expansive solid plank floor.




 **Micro bevel**

Fine micro-beveled edges clearly delineate the planks.



 **Genuine bevel**

The bevel is perfectly suited to the character of the floor. The colour, design and structure of the plank are visible right through the bevel.



 **Impression bevel**



Effect that emphasises planks in a subtle way.



Even water won't harm your floor

Discover our waterproof laminate collections here

MAJESTIC

MJ 
205 x 24 cm  9,5mm

9,5 mm long and wide planks with the most natural look and waterproof technology, for a truly majestic look

Resisting everything, even water!



  **VALLEY OAK LIGHT BEIGE**
MJ 3554



  **DESERT OAK LIGHT NATURAL**
MJ 3550



  **WOODLAND OAK BEIGE**
MJ 3545



  **WOODLAND OAK NATURAL**
MJ 3546



  **DESERT OAK WARM NATURAL**
MJ 3551



  **VALLEY OAK LIGHT BROWN**
MJ 3555




  **WOODLAND OAK LIGHT GREY**
MJ 3547



   **DESERT OAK BRUSHED GREY**
MJ 3552



  **WOODLAND OAK BROWN**
MJ 3548






   **DESERT OAK BRUSHED DARK BROWN**
MJ 3553










**ROOM
VIEWER**

Too many options to choose from?


Not sure which floor is your absolute favourite? The RoomViewer helps you make your choice. Try out your options on www.quick-step.co.uk


Please note: The printed designs give an idea of the actual colour and nuances of the pattern but are not true to nature. The patterns shown are only a sample and are not fully representative of all the different nuances within the design. For a representative view of the surface structure and joint-finishing of a plank, please ask your dealer for more advice.

Structure:  Elegant wood structure  Natural wood structure  Intense wood structure  Stone structure  Fantasy structure | Treatment:  Brushed  Saw cut  Scraped

Finishing:  Extra matt finish  Matt finish  Silk/matt finish  Silk finish  Silverfrost finish | Bevels:  Large bevel  Micro bevel  Genuine bevel  Impression bevel

IMPRESSIVE ULTRA IMPRESSIVE

IMU 
138 x 19 cm ≙ 12 mm

IM 
138 x 19 cm ≙ 8 mm




WHITE PLANKS
IMU 1859* | IM 1859*




PATINA CLASSIC OAK LIGHT
IMU 3559* | IM 3559*




CONCRETE WOOD LIGHT GREY
IMU 1861* | IM 1861*




PATINA CLASSIC OAK GREY
IMU 3560* | IM 3560*




SAW CUT OAK BEIGE
IMU 1857* | IM 1857*




NATURAL PINE
IMU 1860* | IM 1860*




SANDBLASTED OAK NATURAL
IMU 1853* | IM 1853*




CLASSIC OAK BEIGE
IMU 1847* | IM 1847*




SOFT OAK LIGHT BROWN
IMU 3557* | IM 3557*




SOFT OAK MEDIUM
IMU 1856* | IM 1856*




SAW CUT OAK GREY
IMU 1858* | IM 1858*




SOFT OAK GREY
IMU 3558* | IM 3558*




CLASSIC OAK NATURAL
IMU 1848* | IM 1848*




SOFT OAK NATURAL
IMU 1855* | IM 1855*




SCRAPED OAK GREY BROWN
IMU 1850* | IM 1850*




CLASSIC OAK BROWN
IMU 1849* | IM 1849*

IMU: 12 mm medium planks with the most natural look, waterproof technology and advanced surface protection | IM: 8 mm medium planks with the most natural look and waterproof technology

Resisting everything, even water!





SOFT OAK LIGHT
 IMU 1854* | IM 1854*




WHITE VARNISHED OAK
 IMU 3105* | IM 3105*




NATURAL VARNISHED OAK
 IMU 3106* | IM 3106*




BURNED PLANKS
 IMU 1862* | IM 1862*



IMU 3558

* These products have been produced using class 32 (or class 33 in case of impressive Ultra) technology and components. Some of the EN 13329 test methods are not fully applicable. For more information: www.quick-step.co.uk

ELIGNA

EL

138 x 15,6 cm ≡ 8 mm



  **WENGÉ PASSIONATA**
EL 1300



  **ESTATE OAK LIGHT GREY**
EL 3573



  **NEWCASTLE OAK GREY**
EL 3580



  **VENICE OAK LIGHT**
EL 3990



  **ESTATE OAK BEIGE**
EL 3574



  **VENICE OAK BEIGE**
EL 3907



  **LIGHT GREY VARNISHED OAK**
EL 1304



  **WHITE VARNISHED OAK**
EL 915



  **RIVA OAK NATURAL**
EL 3578



  **NATURAL VARNISHED OAK**
EL 896



   **WHITE OAK LIGHT NATURAL**
EL 1491



  **OLD OAK MATT OILED**
EL 312



  **METALLIC CÉRUSÉ OAK GOLD**
EL 3466



  **NEWCASTLE OAK BROWN**
EL 3582



  **OILED WALNUT**
EL 1043



  **MERBAU**
EL 996

8 mm elegant plank with waterproof technology and a smooth finish for a streamlined appearance of your interior

Resisting everything, even water!




VENICE OAK GREY
EL 3906




VENICE OAK NATURAL
EL 3908




RIVA OAK BROWN
EL 3579




NEWCASTLE OAK DARK
EL 3581



EL 3578


NEW

CLASSIC

CL/CLM 0 / 4
120 x 19 cm ≙ 8 mm

8 mm standard planks with waterproof technology.
Floors with a variety of finishing options.

Resisting everything,
even water!



BLEACHED WHITE TEAK
CLM 1290



RECLAIMED WHITE PATINA OAK
CL 1653



BLEACHED WHITE OAK
CLM 1291



HAVANA OAK NATURAL
CLM 1655



OLD OAK LIGHT GREY
CLM 1405



ENHANCED BEECH 3 STRIP
CL 1016



VICTORIA OAK
CLM 3185



MIDNIGHT OAK NATURAL
CLM 1487



ENHANCED OAK NATURAL VARNISHED 3 STRIP
CL 998



WINDSOR OAK
CLM 3184



MOONLIGHT OAK NATURAL
CLM 1659



NATURAL VARNISHED OAK
CLM 1292



OLD OAK NATURAL
CLM 1381



ENHANCED MERBAU 3 STRIP
CL 1039





MIDNIGHT OAK BROWN
CLM 1488






OLD OAK GREY
CLM 1382

ELIGNA WIDE

UW 0 | 
138 x 19 cm |  8 mm

PERSPECTIVE WIDE

ULW  2 | UFW  4
138 x 19 cm |  9,5 mm

UW: 8 mm medium planks with intense wood designs and impression bevel that complement the design | ULW/UFW: 9,5 mm medium planks with a subtle micro-bevel on either two or four sides



MORNING OAK LIGHT

UW 1535 | ULW 1535 | UFW 1535




OAK WHITE OILED

UW 1538 | ULW 1538 | UFW 1538




OAK NATURAL OILED

UW 1539* | ULW 1539* | UFW 1539*




OAK WITH SAW CUTS NATURE

UW 1548 | ULW 1548 | UFW 1548




RECLAIMED CHESTNUT NATURAL

UW 1541* | ULW 1541* | UFW 1541*



RECLAIMED CHESTNUT ANTIQUE

UW 1543* | ULW 1543* | UFW 1543*



RECLAIMED CHESTNUT BROWN



UW 1544 | ULW 1544 | UFW 1544



FUMED OAK DARK

UW 1540 | ULW 1540 | UFW 1540

PERSPECTIVE

UF 
138 x 15,6 cm  9,5 mm

9,5 mm elegant planks with a deep and straight bevel
for a great optical perspective of your interior



  
WENGÉ PASSIONATA
UF 1300



   
WHITE BRUSHED PINE
UF 1235



  
WHITE VARNISHED OAK
UF 915



  
VARNISHED BEECH
UF 866



   
HARVEST OAK
UF 860



  
NATURAL VARNISHED CHERRY
UF 864



  
VINTAGE OAK NATURAL VARNISHED
UF 995



  
NATURAL VARNISHED OAK
UF 896



  
OLD OAK MATT OILED
UF 312





  
DARK VARNISHED OAK
UF 918



   
ANTIQUÉ OAK PLANKS
UF 861



  
MERBAU
UF 996



  
OILED WALNUT
UF 1043



  
VINTAGE OAK DARK VARNISHED
UF 1001





  
HOMAGE OAK NATURAL OILED
UF 1157



  
WENGÉ
UF 1000

LARGO

LPU 
205 x 20,5 cm  9,5 mm

9,5 mm long planks with a subtle micro-bevel
to bring depth to your interior




LIGHT RUSTIC OAK
LPU 1396*




PACIFIC OAK
LPU 1507
SUBTLE PRINTS ON THIS FLOOR




LONG ISLAND OAK LIGHT
LPU 1660




DOMINICANO OAK GREY
LPU 1663*




AUTHENTIC OAK
LPU 1505




DOMINICANO OAK NATURAL
LPU 1622*




WHITE VINTAGE OAK
LPU 3985




LONG ISLAND OAK NATURAL
LPU 1661




WHITE VARNISHED OAK
LPU 1283




CAMBRIDGE OAK NATURAL
LPU 1662*




NATURAL VARNISHED OAK
LPU 1284




CAMBRIDGE OAK DARK
LPU 1664*






GREY VINTAGE OAK
LPU 3986




NATURAL VARNISHED MERBAU
LPU 3988

ELITE

UE 
138 x 15,6 cm  8 mm

8 mm elegant planks with a subtle micro-bevel
adding a variety of finishing options



  
LIGHT GREY VARNISHED OAK
UE 1304




 
WORN LIGHT OAK
UE 1303



   
WHITE OAK LIGHT
UE 1491



  
OLD OAK LIGHT GREY
UE 1406



   
OLD WHITE OAK NATURAL
UE 1493



   
WHITE OAK MEDIUM
UE 1492



 
OLD OAK GREY
UE 1388



   
OLD WHITE OAK DARK
UE 1496



Order your floor samples online

Curious to see what the floor of your choice would look like in reality?

How does it match your furniture, wall colour,... Order a floor sample online and see for yourself.



CR

120 x 19 cm  7 mm



 **CHARLOTTE OAK WHITE**
CR 3178



 **CHARLOTTE OAK BROWN**
CR 3177



 **VIRGINIA OAK NATURAL**
CR 3182



 **TENNESSEE OAK GREY**
CR 3181



 **TENNESSEE OAK LIGHT WOOD**
CR 3179



 **TENNESSEE OAK NATURAL**
CR 3180





 **LOUISIANA OAK NATURAL**
CR 3176



 **VIRGINIA OAK BROWN**
CR 3183

ARTE

UF 
62,4 x 62,4  9,5 mm

9,5 mm large stylish square tiles with bevel



 **MARBLE CARRARA**
UF 1400



 **LEATHER TILE LIGHT**
UF 1401



 **LEATHER TILE DARK**
UF 1402



 **POLISHED CONCRETE NATURAL**
UF 1246



 **POLISHED CONCRETE DARK**
UF 1247



 **VERSAILLES WHITE OILED**
UF 1248*



 **VERSAILLES LIGHT**
UF 1155*






UF1402



EXQ1553



EXQUISA

EXQ  
122,4 x 40,8 cm  8 mm

8 mm multiple patterns tiles with bevel



 
TIVOLI TRAVERTINE
EXQ 1556




 
CERAMIC WHITE
EXQ 1553*





 
CERAMIC LIGHT
EXQ 1554*



 
CERAMIC DARK
EXQ 1555*



 
CRAFTED TEXTILE
EXQ 1557








 
SLATE DARK
EXQ 1552*



 
SLATE BLACK
EXQ 1550*



 
SLATE BLACK GALAXY
EXQ 1551*



STEP 1 INSTALLATION

Install your floor without hassle!

Laying a Quick-Step floor is so easy thanks to the patented world-famous Uniclic® click system. This system is highly user-friendly, quicker to install and a lot more solid than other systems. A Quick-Step floor makes installation easy, even in the tightest corners or under radiators and doors.

1 Easy installation, thanks to the Uniclic® click system

Quick-Step is the inventor of the Uniclic® installation system, today the standard click-to-install system. Use the revolutionary and patented click system to effortlessly click your floor planks together.



2 Install laminate on underfloor heating and cooling

Quick-Step laminate floors are perfect for installing over underfloor heating or cooling when combined with the right underlay.

For more information:
visit www.quick-step.co.uk

3 Easy to install on existing floors

See for yourself how easy it is to install a Quick-Step floor in our installation videos.



Installation tools

Quick-Step® INSTALLATION SET

QSTOOLA

Contents: Quick-Step tapping block, metal crowbar, adjustable spacers.



Install your laminate floor in an easy and professional way with the handy Quick-Step installation set.



A Quick-Step® underlay for every situation

An underlay is an absolute necessity when laying a floor. Installing the right underlay has a major impact on the final look, quality and comfort of your Quick-Step laminate floor. The high-quality underlays are easy to install, create a level base for your new floor and provide excellent acoustic and thermal insulation. The Quick-Step underlays offer a stable base protecting the Uniclic & Uniclic Multifit systems. Moreover, they ensure protection from rising damp.

I want a budget friendly solution



Quick-Step®
BASIC PLUS

I want to reduce both transition as reflected sound



Quick-Step®
UNISOUND

I want to reduce the reflected sound that is caused by walking on the floor



Quick-Step®
SILENT WALK

I want to reduce the sound heard by neighbours





Quick-Step®
TRANSITSOUND

I need additional insulation and levelling for my floor



Quick-Step®
THERMOLEVEL



A good and economical basis for places with less traffic, for instance a bedroom or attic.

Ideal for places with frequent traffic, for instance a living room.

Ideal for the ground floor.

Ideal for an upper floor or an apartment.

The perfect choice for installation on top of an existing tiled floor or a very uneven floor. Also provides extra insulation.

Thickness: 2mm
Roll = 15m²/60m²

Thickness: 2mm
Roll = 15m²

Thickness: 2mm
Roll = 7m²

Thickness: 2mm
Roll = 15m²

Thickness: 5mm
Box = 9m²



- ✓ Damp protection
- ✓ Leveling effect
- ✓ Floor heating

- ✓ Damp protection
- ✓ Leveling effect
- ✓ Floor heating

- ✓ Damp protection
- ✓ Leveling effect
- ✓ Floor heating
- ✓ Floor cooling

- ✓ Damp protection
- ✓ Leveling effect
- ✓ Floor heating

- ✓ Damp protection
- ✓ Leveling effect

💡 Use this underlay in combination with tape: **NETAPE50**

⚠ Do not use in combination with floor heating or cooling.

Please note: It is important to use a Quick-Step underlay to preserve the quality of your floor. When installed and maintained properly, Quick-Step provides a guarantee on the Quick-Step floor and the Uniclic system. Ask your dealer for an original Quick-Step underlay and visit www.quick-step.co.uk to read our guarantee terms.*

STEP 2 FINISHING

Finish perfectly

Finish your floor perfectly with the Quick-Step skirtings and profiles.

1 Matching colours

Quick-Step offers skirting boards with perfectly matching colours for every floor.



2 A wide choice

Quick-Step has a wide variety of skirting boards and profiles in various heights and widths.

3 Scratch-resistant

The Quick-Step skirtings are scratch-resistant, protected against everyday wear and tear, and come with the same warranty as the floors.

Easy to install



Q5GLUE290



Q5CLIPSKME(-)



Q5TRACK



Quick-Step®
ONE4ALL GLUE
Contents: 290 ml

The skirting boards and profiles can be installed swiftly and securely with the Quick-Step One4All glue.

With one tube of One4All glue you can fix approximately 15 m of skirtings to a wall.



Quick-Step®
CLIPS
Contents: 50 clips

Available for 7 or 8 mm floors (Q5CLIPSKME7080A) and 9,5 mm floors (Q5CLIPSKME95A). Clip system for glueless and screwless installation of skirting boards. The skirting boards can be removed at any time.

The clips should be installed at the same time as your floor.



Quick-Step®
TRACK
240 cm x 0,8 cm x 2,7 cm

Our made-to-measure track allows you to install skirting boards quick and easily. Simply attach the track to the wall with screws or Quick-Step One4All glue and then just click the skirting boards onto it. Afterwards, they can be easily removed, which is ideal when you need access to cables.

Skirting boards

Quick-Step® STANDARD SKIRTING BOARD

240 x 1,2 x 5,8 cm



Can easily be cut to a 4 cm skirting thanks to preapplied cuts.

Quick-Step® PARQUET SKIRTING BOARD

240 x 1,4 x 7,7 cm



Skirting boards with a groove on the back to hide phone or computer cables.

Quick-Step® LARGO PARQUET SKIRTING BOARD


240 x 1,4 x 10 cm

For Largo only



Quick-Step® SCOTIA

240 x 1,7 x 1,7 cm



► QSSK(-)
Plugs will help you to nicely join all skirtings, also in the corners.
Also available separately: NEPLUG


Paintable skirting boards



The paintable skirting boards with Incizo® technology are very easily cut to fit the desired height (thanks to the preapplied cuts). Once they are fitted, you can paint them or just leave them white.

Quick-Step® OVOLO SKIRTING BOARD

240 x 1,6 x 16 cm



Quick-Step® OGEE SKIRTING BOARD

240 x 1,6 x 16 cm



Quick-Step® COVER SKIRTING BOARD

240 x 1,6 x 12,9 cm



Quick-Step® FLEXIBLE SKIRTING

1,4 cm x 4 cm (to be cut to the desired length)



Also available in a non-flexible version to finish your room in the same style (length 240 cm: QSPSKR4PAINT).

Finishing profiles for floor and stairs

Quick-Step's Incizo® profile is a multifunctional finishing tool. One and the same profile can be used for all the finishes of your floor and stairs, in the matching colour. Simply cut the Incizo® basic profile to the shape required using the supplied slitter.




Quick-Step® Incizo®: five questions, one answer

1 How can I join two floors of the same height?


2 How can I solve variations in height from one floor to another?

3 How do I finish my floor along a wall or a window?


4 How can I connect my floor to a carpet, and have a beautiful finish?




Use the Incizo® profile cut as an expansion profile.



Use the Incizo® profile cut as an adapter profile.



Use the Incizo® profile cut as an end profile.



Use the Incizo® profile cut as a transition profile.



UFW 1535



Discover our installation video on bit.ly/ytquickstep

5 What about the finishing of my stairs?

You can cover your stairs or steps with Quick-Step planks and finish in the style of your choice with the Incizo® profile as a stair nose.



Quick-Step® INCIZO® PROFILE

QSINCP(-)

215 cm x 4,8 cm x 1,3 cm

Contents: 1 Incizo®, 1 slitler, 1 plastic rail

Quick-Step® INCIZO® ALUMINIUM SUB-PROFILE FOR STAIRS

NEINCPBASE(-)

215 cm x 7,1 cm x 2 cm

To be ordered separately, including plastic strip. The Incizo® stairs finishing cannot be used for commercial applications.

Quick-Step® INCIZO® METAL PROFILE

270 cm x 4,74 cm x 1,14 cm or 93 cm x 4,74 cm x 1,14 cm

Contents: 1 Incizo®, 1 handle and 1 plastic rail

Quick-Step® MULTIFUNCTIONAL PROFILE

186 cm x 4,7 cm x 1 cm

Contents: 1 multifunctional profile, 1 plastic rail



With the supplied handle you can create the desired profile. Do not use on stairs. Available in aluminium, silver, gold or bronze. Also available for commercial applications with metal rail, screws and plugs. QSINCP SILVME270 / for Impressive Ultra: QSINCP I2 SILVME270



Profile in scratch-resistant aluminium to bridge height differences from 0 to 12.3 mm. To be used for instance between 2 Quick-Step laminate floors, or between a laminate floor and another lower or higher floor. Available in silver.

Finishing tools

Quick-Step® KIT

QSKIT(-) 310 ml



Elastic, acrylic-based paste. Use it to fill gaps in a matching colour.

Quick-Step® PE FOAM

NEFOAMSTRIP20
20 m x 10 mm



PE foam expansion joint filler (for use in combination with the Quick-Step Hydrokit). Makes your skirting finishing watertight!

Quick-Step® HYDROKIT

QSKITTRANSP 310 ml



The Quick-Step Hydrokit is a transparent silicone for an invisible and waterproof finishing of skirting boards, profiles,...

Use the Hydrokit and PE Foam to ensure your Majestic, Impressive (Ultra), Eligna and Classic floor is 100% waterproof. In addition, you profit from the 10 year Residential Wet Area Warranty.



QSRCINOX

Quick-Step® PIPE COVERS

Contents: 2 radiator covers per package.

The pipe covers allow you to finish heating elements and pipes. Available in two different diameters: 15 mm or 22 mm.



QSDOORMAT

Quick-Step® DOORMAT

Mat: 74,6 cm x 43,4 cm x 0,9 cm
Frame: 79 cm x 47,8 cm

The doormat fits seamlessly in a strong aluminium frame that is countersunk into the laminate. It's easy to install and clean. An elegant and practical solution.

STEP 3 CLEANING

Keep your floor in top condition



Quick-Step® CLEANING KIT

Contents: mop holder, washable microfiber mop,
Quick-Step Cleaning product 1000 ml

The cleaning products are specifically developed for Quick-Step floors. They cleanse the floor surface thoroughly and maintain the original look of your floor. No residual layers of cleaning product are left behind.



Also available separately:

Quick-Step® CLEANING PRODUCT 2,5 L QSCLEANING2500

Quick-Step® CLEANING PRODUCT 1000 ML QSCLEANING1000

Quick-Step® CLEANING MOP QSSPRAYMOP



Quick-Step® REPAIR KIT

Contents: melting knife, cleaning comb, 7 wax blocks, sanding pad

Light damages can easily be repaired in the original colour with the Repair Kit.



Check the specific colour combination for
your floor on bit.ly/ytquickstep
































- ☑ We use carefully screened raw materials
- ☑ We invest in energy-efficient production
- ☑ We comply with all regulations



At Quick-Step, we realise that the world you'd love to live in' is not just a world of stylish interiors. It's also a world that shows respect for our natural environment. That's why, as a company, we make continuous efforts to minimise the ecological impacts of our products and processes. Every day, we seek new ways to recycle, reduce and renew throughout the entire Quick-Step manufacturing process.

Range overview planks and tiles

	waterproof	dimensions	thickness	bevels
MAJESTIC		 205 x 24 cm	≐ 9,5 mm	
IMPRESSIVE ULTRA		 138 x 19 cm	≐ 12 mm	
PERSPECTIVE WIDE		 138 x 19 cm	≐ 9,5 mm	
PERSPECTIVE		 138 x 15,6 cm	≐ 9,5 mm	
LARGO		 205 x 20,5 cm	≐ 9,5 mm	
IMPRESSIVE		 138 x 19 cm	≐ 8 mm	
ELITE		 138 x 15,6 cm	≐ 8 mm	
ELIGNA WIDE		 138 x 19 cm	≐ 8 mm	
ELIGNA		 138 x 15,6 cm	≐ 8 mm	0
CLASSIC NEW		 120 x 19 cm	≐ 8 mm	
CREO		 120 x 19 cm	≐ 7 mm	0
ARTE		 62,4 x 62,4 cm	≐ 9,5 mm	
EXQUISA		 122,4 x 40,8 cm	≐ 8 mm	

LAMINATE

COLLECTION 2018 - 2019



Too many options to choose from?

Not sure which floor is your absolute favourite? The RoomViewer helps you make your choice. Try out your options on www.quick-step.co.uk



Choose a Quick-Step® Master Installer

Once you have chosen the perfect Quick-Step floor, your installation is the next important step. Choose a Quick-Step Master Installer who will install your floor to the highest standard and with the necessary attention to detail it deserves. Even more, the Quick-Step Master Installer offer an additional 2 year installation warranty. Find a Master Installer in your area on www.quick-step.co.uk

Your Quick-Step® point of sale



www.quick-step.co.uk

FOLLOW US ON



www.facebook.com/QuickStepFloors



www.youtube.com/quickstepfloor



plus.google.com/+quickstep



www.pinterest.com/quickstepfloor



[@QuickStepFloor](https://twitter.com/QuickStepFloor)

Quick-Step® is a quality product produced by UNILIN bvba – division Flooring, Ooigemstraat 3, B-8710 Wielsbeke, Belgium, Europe. COVERPHOTO IMU1855. Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice.

Content © 2018 - 2019 by UNILIN bvba – division Flooring. All rights reserved.

The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher. | Print ref. 018 309 01 - Z2 EN